

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Osmaflux Profi
UFI : 97NH-10S7-R20A-9VK0
Product code : 700
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Detergent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Christeyns NV
Afrikalaan 182
9000 GENT
Belgium
T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44
info@christeyns.be - www.christeyns.com

Distributor

Christeyns UK Ltd.
Rutland Street
GB– Bradford BD4 7EA
United Kingdom
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd
2, Cameron Court, Winwick Quay
GB– WA2 8RE Warrington – Cheshire
United Kingdom
T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93
UK-foodinfo@christeyns.com - www.christeyns.com

Distributor

Casoria Company Ltd. Ltd
1 Farnham Street
IE– H12 A9K0 Cavan – Co. Cavan
Ireland
T 00353 49 4361869 - F 00353 49 436 1869
sds@casoria.ie - www.casoria.ie

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcourt Centre, Harcourt Road
IE– 2 Dublin
Ireland
T +353 1 8146022

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

Oasmaflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

CLP Signal word

: Danger

Contains

: Ethoxylated Alcohol; Potassium hydroxide

Hazard statements (CLP)

: H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P280 - Wear protective clothing, eye protection, face protection.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
P390 - Absorb spillage to prevent material damage.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, PL, PT, SE, IS, NO, CH)	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136-33	10 – 30	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Alcohol ethoxylated propoxylated	CAS-no: 120313-48-6 Einecs nr: 639-733-1 REACH-no: Polymer	5 – 10	Skin Irrit. 2, H315 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
Ethoxylated Alcohol	CAS-no: 157627-86-6 Einecs nr: 500-337-8 REACH-no: Exempted (polymer)	3 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Potassium hydroxide	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136-33	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

: In case of doubt or persistent symptoms, consult always a physician. For symptom description, see item 11.

Osmaflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inhalation	: Remove person to fresh air and keep comfortable for breathing.
Skin contact	: Ask for medical advice. Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
Eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Ingestion	: Rinse mouth out with water. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation	: Presents no particular risk when handled in accordance with good occupational hygiene practice.
Acute effects skin	: Burns.
Acute effects eyes	: Serious damage to eyes.
Acute effects oral route	: Burns of the upper digestive and respiratory tracts.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: All extinguishing agents can be used. Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Explosion hazard	: Not applicable.
------------------	-------------------

5.3. Advice for firefighters

Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Concerning personal protective equipment to use, see section 8.
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Never return unused material to original container. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Store in a well-ventilated place.
Incompatible materials	: Metals.

7.3. Specific end use(s)

No additional information available

Osmaflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Potassium hydroxide (1310-58-3)	
Ireland - Occupational Exposure Limits	
Local name	Potassium hydroxide
OEL STEL	2 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure good ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Physical state/form	: Liquid.
Odour	: Slight.

Osmalflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: $\geq 100\text{ }^{\circ}\text{C}$
Flammability	: Not determined as it is not relevant for the characterization of the product
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Constituents do not contain chemical groups associated with explosivity
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Determination of the auto-ignition temperature is only relevant for pyrophoric liquids, however the mixture is not a pyrophoric liquid so the test is not required.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
pH	: $13.8 \pm 0,5$ (100%); $12,3 \pm 0,5$ (1 %)
pH solution concentration	: 100
Viscosity, kinematic	: $410\text{ mm}^2/\text{s}$
Solubility	: Water: Miscible
Partition coefficient n-octanol/water (Log Kow)	: Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1255 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No decomposition if stored normally.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Humid air. Temperatures below 0°C .

10.5. Incompatible materials

Never mix with other materials. metals.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethoxylated Alcohol (157627-86-6)	
LD50 oral rat	300 – 2000
LD50 dermal rabbit	> 2000 mg/kg
ATE CLP (oral)	300 mg/kg bodyweight

Osmalux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Potassium hydroxide (1310-58-3)	
LD50 oral rat	333 mg/kg
ATE CLP (oral)	333 mg/kg bodyweight
Alcohol ethoxylated propoxylated (120313-48-6)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Causes severe skin burns. pH: 13.8 ± 0,5 (100%); 12,3 ± 0,5 (1 %)
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.8 ± 0,5 (100%); 12,3 ± 0,5 (1 %)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Osmalux Profi	
Viscosity, kinematic	410 mm²/s
11.2. Information on other hazards No additional information available	
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
Ethoxylated Alcohol (157627-86-6)	
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	1 – 10 mg/l
ErC50 other aquatic plants	1 – 10 mg/l
NOEC chronic crustacea	> 0.1 (≤ 1) mg/l (Daphnia Magna)
Potassium hydroxide (1310-58-3)	
LC50 - Fish [1]	80 mg/l
EC50 - Crustacea [1]	30 – 1000 mg/l (OECD 202)
Alcohol ethoxylated propoxylated (120313-48-6)	
LC50 - Fish [1]	1 – 10 mg/l (Leuciscus idus)
EC50 - Crustacea [1]	0.22 – 0.75 mg/l (OECD 202)
EC50 - Other aquatic organisms [1]	0.1 – 1 mg/l
ErC50 other aquatic plants	0.1 – 1 mg/l
NOEC (chronic)	0.25 mg/l
NOEC chronic crustacea	0.25 mg/l (Daphnia Magna)

Osmaflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Osmaflux Profi	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Ethoxylated Alcohol (157627-86-6)	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.
Biodegradation	≥ 90 % (mod. OECD 303A)
Alcohol ethoxylated propoxylated (120313-48-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	> 60 %

12.3. Bioaccumulative potential

Osmaflux Profi	
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Bioaccumulative potential	No bioaccumulation.
Ethoxylated Alcohol (157627-86-6)	
Partition coefficient n-octanol/water (Log Kow)	< 4
Potassium hydroxide (1310-58-3)	
Log Pow	0.75
Alcohol ethoxylated propoxylated (120313-48-6)	
Bioconcentration factor (BCF REACH)	1.9 Fish
Log Pow	5.47
Bioaccumulative potential	Bioaccumulation unlikely.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste / unused products	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances
HP Code	: HP8 - "Corrosive:" waste which on application can cause skin corrosion. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1814	UN 1814	UN 1814
14.2. UN proper shipping name		
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution

Osmaflux Profi

Safety Data Sheet


according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
Transport document description		
UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8	UN 1814 Potassium hydroxide solution, 8
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5
Limited quantities (ADR) : 1I
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel code : E
EAC code : 2R

Transport by sea

No data available

Air transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Osmaflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
phosphates, non-ionic surfactants	5-15%
phosphonates, polycarboxylates	<5%
optical brighteners	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Concentration of the solution used for the pH measurement	Added	
	Review date	Modified	
	Supersedes	Modified	
	Date first issue	Added	
9.1	Log Kow	Added	
9.1	Decomposition temperature	Added	
9.1	Explosive limits (g/m ³)	Added	
9.1	Lower explosive limit (LEL)	Added	
9.1	Upper explosive limit (UEL)	Added	
9.1	Autoignition temperature	Added	
9.1	Viscosity, kinematic	Added	
9.1	Melting point/range	Modified	
9.1	Freezing point	Added	
9.1	Flash point	Modified	
9.1	Flammability (solid, gas)	Added	
9.1	Water solubility	Added	
12.3	Log Kow	Added	
13.1	HP Code	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

Osmaflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

Osmaflux Profi

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	Calculation method
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.